

# Ansible - prvi koraci

written by js | 2021-09-23

## Tema

Dok se boriš s posljedicama oralne dijareje na Ansibletovom sajtu i pronalaziš korisne informacije u beskonačnim zidovima teksta - ovdje su prvi koraci:

## Postupak - tl;dr

## Priprema

- sudo su -
- apt update
- apt install ansible sshpass python3
- mkdir /etc/ansible
- nano /etc/ansible/hosts

```
```yaml
```

- ```
-
```
- ovdje:
    - hosts:
      - mirkopc:
        - ansible\_port: 22
      - ansible\_host: 192.168.1.11
      - ansible\_user: majstor
      - ansible\_password: admin123
        - pcvslavko:
          - ansible\_port: 33
        - ansible\_host: 192.168.1.12
        - ansible\_user: kmet
        - ansible\_password: kmet234
      - tamo:
        - hosts:
          - treci\_pc:
      - ansible\_host: 192.168.1.13

```
```
```

- chmod -R 600 /etc/ansible/\*

## Isprobavanje

- `ansible ovdje -m ping`

## Odgovor

..bi trebao biti nešto kao:

```
- mirkopc | SUCCESS => {
  - "ansible_facts": {
-   "discovered_interpreter_python":
      "/usr/bin/python"
      - },
      - "changed": false,
      - "ping": "pong"
      - }
- pcslavko | SUCCESS => {
  - "ansible_facts": {
-   "discovered_interpreter_python":
      "/usr/bin/python3"
      - },
      - "changed": false,
      - "ping": "pong"
      - }
```

## Razno

- Nedobra je praksa držati lozinku u običnoj tekstualnoj datoteci kao u primjeru. [Otompotom](#).
- <https://docs.ansible.com/ansible/latest/index.html>

## Slike

...

# Video

...

---

xansible ansible xfirststeps first steps firststeps howto init xhowto xkakoda